UCN-7721C
(2 1-86)

OAK RIDGE Y-12 PLANT INFORMATION CONTROL FORM

\# 2990

DOCUMENT DESCRIPTION (Completed By Requesting Division)

Document No.	Author's Telephone No.	Acct. No.	Date of Request
(Selected Pages) Y/EI-- - 00074/DEL REV	6-0263	23660003	5/9/95

Unclassified Title: EXCERPTS FROM PREVIOUSLY RELEASED Y-12 HEALTH PHYSICS REPORTS (BOX # 16-8-9)

Author(s) Requestor: Steve Wiley

TYPE: ☐ Formal Report ☐ Informal Report ☐ Progress/Status Report ☐ Co-Op Report ☐ Thesis/Term Paper

☐ Oral Presentation (identify meeting, sponsor, location, date):

☐ Journal Article (Identify Journal):

☒ Other (Specify): To Be Released to ChemRisk, Phase II

Document will be published in proceedings ☑ No ☐ Yes

Document will be distributed at meeting ☑ No ☐ Yes

Document has patent or invention significance ☐ No ☐ Yes (Identify)

Document has been previously released ☑ No ☐ Yes (Reference)

DIVISION REVIEW AND APPROVAL (Completed By Requesting Division)

TECHNICAL CLASSIFICATION REVIEW (Divisional Classification Representative)

Title(s): U Abstract: NA

DOCUMENT: Level C Category RD

J Rowan — Signature — 5-17-95 Date

BRACKETED FOR DECLASS

DOCUMENT REQUEST APPROVED (Division or Department)

[signature] Signature — 5/9/95 Date

Signature — Date

THE REMAINDER OF THIS FORM TO BE COMPLETED BY THE TECHNICAL INFORMATION OFFICE

DISTRIBUTION

☐ Internal Distribution
☐ External Distribution

TID-4500 Category ______ or ______ Copies to OSTI

ANNOUNCED IN: ERA Atomindex (Available from NTIS)

M-3679 Category

ANNOUNCE IN: ☐ AWDR (Available from OSTI) ☐ ANCR

Distribution: Y-12 Central Files	UCN-7721B Y-12 RC	DOE F-1332.15 Y-12 RC	Document Y-12 RC
TIO File	L.L. McCauley		
	S.W. Wiley		
	R.M. Keyser		

Distribution Remarks: Cleared for Public Release (ChemRisk)

APPROVAL AND RELEASE

Date Received

Date Initiated 5-9-95

☒ CLASSIFICATIONS:

Title(s): U Abstract N.A.

DOCUMENT:

Level U (w/del) Category —

Weapons Data — Sigma —

RJ Fraser — Y-12 Classification Office — 5/17/95 Date

☐ Editor — Date

☒ Waived / MLB — Patent Office — Date

☐ — Date

☐ — Date

APPROVED FOR: ☐ Declassification ☐ Release subject to use of the following admonitory markings and conditions:

☐ Disclaimer ☐ Copyright ☐ Patent Caution ☐ Other

[signature] — Technical Information Office — 5/22/95 Date

Conditions/Remarks.

Y/EXT-00074-/DEL REV

Selected Pages From Previously Released
Y-12 Health Physics Reports (Box 16-8-9)
EXTRACT

Authorized Derivative Classifier
(With deletions)
J Rowan 5-17-95
Authorized Signature Date

Authorized Derivative Declassifier
R J Fraser 5/17/95
Authorized Signature Date

This material has been reviewed by the Y-12 Classification office and has been determined to be UNCLASSIFIED.

APPROVED FOR PUBLIC RELEASE
M. L. Bond 5/22/95
Technical Information Office Date

This document is an EXTRACT from Multiple Documents

THIS PAGE MUST NOT BE SEPARATED FROM THE ATTACHED DOCUMENT

Appendix C

TABLE I

Y-B94-263 (4/25/60)
Box 16 x-5

PERMANENT STACK SAMPLE RESULTS

Samples of several exhaust stacks in uranium chemical operations areas of Building 9212 are obtained routinely. The measurements are valuable as an index of the material loss to the atmosphere. A summation of the analyses obtained during this period is presented in the table below.

Area and Location	Avg. U-Lost Gms./24 Hours Jan.	Feb.	Mar.
Building 9212			
E-Wing exhaust stack	.51	12.55	2.28
C-Wing cast iron stack	.15	.17	.08
D-Wing cast iron stack	.08	.38	.09
West Head House exhaust stack	3.98	1.5	.57
Reduction exhaust stack	< .01	< .01	< .01
Room 1008 degreaser exhaust stack	< .01	< .01	< .01
Room 1009 exhaust stack	.13	.25	.2
Room 1010 sintering furnace exhaust stack	< .01	.01	< .01
Room 1010 exhaust stack	< .01	< .01	< .01
Dry Chemistry reactor stack	< .01	< .01	< .01
C-2 stack	.18	.20	.45
B-1 stacks			
A.J. 105	.09	.14	.06
A.J. 104	.52	.07	.09
A.J. 106	.08	.17	.23
A.J. 101	.01	.03	.01
Building 9206			
Rooms 24, 25, 26, 34, and 36	.23	---	.03
Rooms 32, 33, 34, 35, 37, 38, 39, 60, 61, 62, and 63	2.94	---	.08

- continued -

Table I - continued -

Area and Location	Avg. U-Lost Gms./24 Hrs. Jan.	Feb.	Mar.
Building 9206 - continued -			
Rooms 31 and 32	.25	---	.02
Dry Chemistry	.04	---	< .01
Machine Shop (Filtered)	.02	---	.06
Machine Shop (Unfiltered)	.02	---	.01
Rooms 40, 41, 42, 43, 44, 45, and 47	.27	---	.05
Room 51	.05	---	.02

Y-B94-265 (5/13/60)
Box 16-8-9

TABLE I

RESULTS FROM INDIVIDUAL AIR SAMPLERS

(Showing Average Levels > 70 d/m/M^3)

Area and Sampler Number	Location	Quarterly Avg. d/m/M^3
Building 9215		
O-Wing Rolling		
4	Front of annealing bath	115
5	Front of water scrubber	134
6	Entrance to squaring shears	131
7	East of plate storage	123
8	Entrance to circle shears	223
Building 9204-4		
14	Burning table, 1st floor	247*

*This operation has been placed in an enclosure. Subsequent samples have been of a low order of magnitude.

TABLE II

PERMANENT STACK SAMPLE RESULTS

Samples from O-Wing Rolling and Forming Area, M-Wing Machine Shop, and Sunflower exhaust stacks in the Mechanical Operations Division areas are obtained routinely. These measurements are valuable as an index of the material loss to the atmosphere. A summation of the analyses obtained during this report period is presented in the table below.

Area and Location	Avg. U-Lost Gms/24 Hours		
	January	February	March
O-Wing exhaust stack	.43	.38	.01
M-Wing exhaust stack	.54	.44	.39
Sunflower filter house	62.0	70.0	---

Y-B34-265 (7/27/60)
Box 16.2-9

TABLE I

PERMANENT STACK SAMPLE RESULTS

Samples of several exhaust stacks in uranium chemical operations areas of Buildings 9212 and 9206 are obtained routinely. The measurements are valuable as an index of the material loss to the atmosphere. A summation of the analyses obtained during this period is presented in the table below.

Area and Location	Avg. U-Lost Gms./24 Hours		
	Apr.	May	June
Building 9212			
E-Wing exhaust stack	2.25	.62	2.5
C-Wing cast iron stack	.14	.65	.25
D-Wing cast iron stack	.55	.32	.28
West Head House exhaust stack	.93	2.17	.96
Reduction exhaust stack	< .01	< .01	< .01
Room 1008 degreaser exhaust stack	< .01	< .01	< .01
Room 1009 exhaust stack	.14	---	.07
Room 1010 sintering furnace exhaust stack	< .01	< .01	< .01
Room 1010 exhaust stack	< .01	< .01	< .01
Dry Chemistry reactor stack	.06	< .01	< .01
C-1 stack	.38	1.22	.77
C-2 stack	.32	.25	.19
B-1 stacks			
A. J. 105	.07	.07	.01
A. J. 104	.09	.26	.03
A. J. 106	.16	.32	.13
A. J. 101	< .01	.01	.04
A. J. 412	.01	.02	.08
Building 9206			
Rooms 24, 25, 26, 34, and 36	.08	.02	.02

- continued -

Table I - continued -

Area and Location	Avg. U-Lost Gms./24 Hours Apr.	May	June
Building 9206 - continued -			
Rooms 32, 33, 34, 35, 37, 38, 39, 60, 61, 62, and 63	.33	.14	.07
Rooms 31 and 32	.01	.01	.01
Dry Chemistry	.04	.02	.05
Machine Shop (Filtered)	.01	.02	.01
Machine Shop (Unfiltered)	.01	.01	.01
Rooms 40, 41, 42, 43, 44, 45, and 47	.05	.65	.23
Room 51	.01	.02	.01

Y-B34-270 (7/21/60)
Box 16-8-5

TABLE I

PERMANENT STACK SAMPLE RESULTS

Samples from O-Wing Rolling and Forming Area, M-Wing Machine Shop, and Sunflower exhaust stacks in the Mechanical Operations Division areas are obtained routinely. These measurements are valuable as an index of the material loss to the atmosphere. A summation of the analyses obtained during this report period is presented in the table below.

Area and Location	Avg. U-Lost Gms./24 Hrs.		
	April	May	June
O-Wing exhaust stack	.02	.03	.01
M-Wing exhaust stack	.59	.55	.50
Sunflower filter house	*---	775.00	508.00

*Sampler out of order during the month of April.

Y-894-276 (10/21/60)
Box 16 8-9

TABLE I

PERMANENT STACK SAMPLE RESULTS

Samples of several exhaust stacks in uranium chemical operations areas of Buildings 9212 and 9206 are obtained routinely. The measurements are valuable as an index of the material loss to the atmosphere. A summation of the analyses obtained during this period is presented in the table below.

Area	Avg. U-Lost Gms./24 Hours		
	July	Aug.	Sept.
Building 9212			
E-Wing exhaust stack	4.90	2.30	2.13
C-Wing cast iron stack	0.20	0.12	0.08
D-Wing cast iron stack	2.60	0.15	0.05
West Head House exhaust stack	0.74	0.73	0.82
Reduction exhaust stack	< .01	< .01	< .01
Room 1008 degreaser exhaust stack	< .01	< .01	< .01
Room 1009 exhaust stack	0.06	0.11	0.37
Room 1010 sintering furnace exhaust stack	< .01	< .01	< .01
Room 1010 exhaust stack	< .01	< .01	< .01
Dry Chemistry reactor stack	0.01	< .01	0.01
C-1 stack	0.33	0.37	0.01
C-2 stack	0.62	0.23	----
B-1 stacks			
A. J. 105	0.09	0.06	0.06
A. J. 104	0.04	0.01	0.02
A. J. 106	0.08	0.04	0.04
A. J. 101	< .01	0.01	< .01
A. J. 412	< .01	< .01	< .01
2nd floor exhaust	0.03	0.02	0.02

- continued -

Table I - continued -

Area and Location	Avg. U-Lost Gms./24 Hours July	Aug.	Sept.
Building 9212			
B-1 stacks - continued -			
2nd floor exhaust	0.02	0.01	0.01
Conversion area exhaust	0.01	0.01	0.01
Dissolver area exhaust	< .01	< .01	< .01
Denitrator room exhaust	----	< .01	< .01
Feed preparation dry filter exhaust	----	< .01	0.05
Building 9206			
Rooms 24, 25, 26, 34, and 36	----	0.04	0.02
Rooms 32, 33, 34, 35, 37, 38, 39, 60, 61, 62, and 63	0.02	0.15	0.10
Rooms 31 and 32	0.13	0.09	0.08
Dry Chemistry	0.04	0.01	0.03
Machine Shop (Filtered)	< .01	0.01	0.03
Machine Shop (Unfiltered)	< .01	0.35	< .01
Rooms 40, 41, 42, 43, 44, 45, and 47	0.09	0.99	0.24
Room 51	0.01	0.01	0.01

~~Y-BAA-277~~ (10/25/60)
Box 16-5-9

TABLE I

PERMANENT STACK SAMPLE RESULTS

Samples from O-Wing Rolling and Forming Area, M-Wing Machine Shop, and Sunflower exhaust stacks in the Mechanical Operations Division areas are obtained routinely. These measurements are valuable as an index of the material loss to the atmosphere. A summation of the analyses obtained during this report period is presented in the table below.

Area and Location	Average U-Lost Gms./24 Hrs. July	Aug.	Sept.
C-Wing exhaust stack	< .01	< .01	0.01
M-Wing exhaust stack	0.23	0.32	0.22
Sunflower filter house	418.00	184.00	87.00

TABLE II

H-1 FOUNDRY

BREATHING ZONE AND OPERATIONAL AIR SAMPLES

No. of Samples 2 No. of Samples > PAL 2

Area and Location	No. of Samples	No. of Samples > PAL	Avg. Time (Min.)	Avg. U-Air Conc. (d/m/M^3)
BZ, sanding ____ rod	2	2	5	300*

*It is suggested that respiratory protection be employed at this operation.

Y-394-281 (1/26/61, Box 16-8-9

Table I

PERMANENT STACK SAMPLE RESULTS

ples of several exhaust stacks in uranium chemical operations areas of Buildings 2 and 9206 are obtained routinely. The measurements are valuable as an index of material loss to the atmosphere. A summation of the analyses obtained during this od is presented in the table below.

ea	Average U-Lost Gms./24 Hours		
	October	November	December
ilding 9212			
E-Wing exhaust stack	4.7	3.9	1.39
C-Wing cast iron stack	0.16	0.58	0.7
D-Wing cast iron stack	0.20	0.17	0.35
West Head House exhaust stack	0.7	2.3	2.5
Reduction exhaust stack	< .01	< .01	< .01
Room 1008 degreaser exhaust stack	< .01	< .01	< .01
Room 1009 exhaust stack	0.4	0.6	0.28
Room 1010 sintering furnace exhaust stack	< .01	< .01	< .01
Room 1010 exhaust stack	< .01	< .01	< .01
Dry Chemistry reactor stack	< .01	< .01	< .01
C-1 stack	0.56	0.49	0.53
C-2 stack	0.16	0.23	0.21
Dry Chemistry, HF stack	---	< .01	*< .01
B-1 stacks			
A. J. 105	0.02	< .01	< .01
A. J. 104	0.03	0.04	0.07
A. J. 106	0.04	0.05	0.04
A. J. 101	< .01	< .01	< .01
A. J. 412	< .01	< .01	< .01
2nd floor exhaust	< .03	< .01	0.03

- continued -

resents eight sampling days.

ble I - continued -

ea and Location	Average U-Lost Gms/24 Hours October	November	December
ilding 9212			
B-1 stacks - continued -			
2nd floor exhaust	0.01	< .01	0.02
Conversion area exhaust	0.02	< .01	0.02
Dissolver area exhaust	< .01	< .01	< .01
Denitrator room exhaust	< .01	< .01	< .01
Feed preparation dry filter exhaust	0.04	< .01	0.03
ilding 9206			
Rooms 24, 25, 26, 34, and 36	0.02	0.01	0.03
Rooms 32, 33, 34, 35, 37, 38, 39, 60, 61, 62, and 63	0.11	0.06	0.08
Rooms 31 and 32	0.08	< .01	0.02
Dry Chemistry	0.03	< .01	< .01
Machine Shop (Filtered)	0.03	< .01	< .01
Machine Shop (Unfiltered)	< .01	< .01	< .01
Rooms 40, 41, 42, 43, 44, 45, and 47	0.22	0.06	0.09
Room 51	< .01	< .01	< .01

Y-394-283 (1/31/61)
Box 16-8-9

Table III

PERMANENT STACK SAMPLE RESULTS

Area and Location	Average U-Lost Gms./24 Hours		
	Oct.	Nov.	Dec.
O-Wing exhaust stack	.01	.01	.01
M-Wing exhaust stack	.02	.26	.15
Sunflower filter house	219.00	248.00	499.00

Appendix A
Table I

Y-B94-286 (5/1/61)
Box 16-Y-9

PERMANENT STACK SAMPLE RESULTS

Samples of several exhaust stacks in uranium chemical operations areas of Buildings 9212 and 9206 are obtained routinely. The measurements are valuable as an index of the material loss to the atmosphere. A summation of the analyses obtained during this period is presented in the table below.

Area	Average U-Lost Grams/24 Hours		
	January	February	March
Building 9212			
E-Wing exhaust stack	2.9	2.6	4.9
C-Wing cast iron stack	1.6	0.84	0.3
D-Wing cast iron stack	0.4	0.40	0.09
West Head House exhaust stack	1.4	1.95	1.4
Reduction exhaust stack	< .01	< .01	< .01
Room 1008 degreaser exhaust stack	< .01	< .01	< .01
Room 1009 exhaust stack	0.22	0.14	0.2
Room 1010 sintering furnace exhaust stack	< .01	< .01	< .01
Room 1010 exhaust stack	0.2	< .01	< .01
Dry Chemistry reactor stack	< .01	0.91	----
C-1 stack	0.5	0.65	0.35
C-2 stack	0.4	0.41	0.20
B-1 stacks			
A. J. 105	0.06	0.02	0.09
A. J. 104	0.07	0.04	0.24
A. J. 106	0.03	0.04	0.05
A. J. 101	< .01	0.01	< .01
A. J. 412	< .01	0.01	< .01
2nd floor exhaust	0.01	0.01	0.01
2nd floor exhaust	0.01	< .01	< .01
Conversion area exhaust	0.03	0.03	0.03
Dissolver area exhaust	< .01	< .01	< .01
Denitrator room exhaust	0.01	0.03	0.03
Feed preparation dry filter exhaust	0.02	0.02	0.03

- continued -

Table I - continued -

Area and Location	Average U-Lost Grams/24 Hours		
	January	February	March
Building 9206			
Rooms 20 and 27	0.01	< .01	0.02
Rooms 24, 28, and 29	0.04	0.21	0.29
Rooms 26 A and C	0.01	0.01	< .01
Dry Chemistry	< .01	< .01	0.01
Machine Shop (Filtered)	< .01	0.01	0.01
Machine Shop (unfiltered)	< .01	< .01	< .01
Room 30	0.06	0.05	0.15
Room 51	----	----	< .01

Y-B94-290 (5/5/61)
Box 16-8-9

Table III

PERMANENT STACK SAMPLE RESULTS

Area and Location	Average U-Lost Gms./24 Hours		
	January	February	March
O-Wing exhaust stack	.01	< .01	< .01
M-Wing exhaust stack	0.17	0.28	0.25
Sunflower filter house	433.00	598.00	358.00

Table I

Y-B94-295 (8/10/61

Box 14-5-9

PERMANENT STACK SAMPLE RESULTS

Samples of several exhaust stacks in uranium chemical operations areas of Buildings 9212 and 9206 are obtained routinely. The measurements are valuable as an index of the material loss to the atmosphere. A summation of the analyses obtained during this period is presented in the table below.

Area	Average U-Lost Grams/24 Hours		
	April	May	June
Building 9212			
E-Wing exhaust stack	.71	.50	.60
C-Wing cast iron stack	.36	.18	.15
D-Wing cast iron stack	.14	.10	.44
West Head House exhaust stack	1.76	.44	.59
Reduction exhaust stack	< .01	< .01	< .01
Room 1008 degreaser exhaust stack	< .01	< .01	< .01
Room 1009 exhaust stack	.18	.04	.06
Room 1010 sintering furnace exhaust stack	< .01	< .01	< .01
Room 1010 exhaust stack	< .01	< .01	< .01
Dry Chemistry reactor stack	.03	.16	.09
C-1 stack	.34	.50	.38
C-2 stack	.54	.30	.39
B-1 stacks			
A. J. 105	.03	.01	.01
A. J. 104	.05	.01	.01
A. J. 106	.03	.03	.02
A. J. 101	< .01	< .01	< .01
A. J. 412	< .01	< .01	< .01
2nd floor exhaust	< .01	.01	< .01
2nd floor exhaust	< .01	< .01	< .01
Conversion area exhaust	.01	< .01	.01
Dissolver area exhaust	< .01	< .01	.01
Denitrator room exhaust	.03	.02	< .01
Feed preparation dry filter exhaust	.20	.16	.90

- continued -

Table I - continued -

Area	Average U-Lost Grams/24 Hours		
	April	May	June
Building 9206			
Rooms 20 and 27	.03	.02	.03
Rooms 24, 28, and 29	.38	.30	.08
Rooms 26 A and C	.02	.02	.02
Dry Chemistry	---	.13	.01
Machine Shop (Filtered)	.02	.02	.02
Machine Shop (Unfiltered)	< .01	< .01	< .01
Room 30	.07	.07	.64
Room 37	.01	.05	.02

Y-894-296 (8/14/61
Bck 16-8-9

Table II

THORIUM OPERATIONS

BREATHING ZONE AND OPERATIONAL AIR SAMPLES

No. of Samples 259

No. of Samples > PAL* 23

Area and Description	No. of Samples	No. of Samples > PAL	Avg. Time (Min.)	Avg. Air Conc. (d/m/M^3) Count	Chemical
P-Wing 3rd Mill					
GA, while rolling hot thorium	155	3	9	27	3.0
GA, while rolling cold thorium	88	16	16	7	0.1
GA, while annealing canned thorium in salt bath	11	0	280	4	---
Building 9204-4					
Forming billets	2	0	18	5	---
Welding steel cans containing thorium	3	0	35	1	---

*PAL for thorium is 4.4 d/m/M^3 determined by chemical analysis.

Table III

PERMANENT STACK SAMPLE RESULTS

Area and Location	Average U-Lost Gms./24 Hours April	May	June
O-Wing exhaust stack	< .01	< .01	.01
M-Wing exhaust stack	.13	.15	.37
Sunflower filter house	354.00	380.00	629.00

Y-B94-301 (11/6/61)
Box 16 8-9

Table I

PERMANENT STACK SAMPLE RESULTS

Samples of several exhaust stacks in uranium chemical operations areas of Buildings 9212 and 9206 are obtained routinely. The measurements are valuable as an index of the material loss to the atmosphere. A summation of the analyses obtained during this period is presented in the table below.

Area	Average U-Lost Grams/24 Hours		
	July	Aug.	Sept.
Building 9212			
E-Wing exhaust stack	1.49	1.09	5.35
C-Wing cast iron stack	.86	.69	.13
D-Wing cast iron stack	.56	1.16	1.12
West Head House exhaust stack	3.54	9.97	8.46
Reduction exhaust stack	.01	.01	< .01
Room 1008 degreaser exhaust stack	< .01	< .01	< .01
Room 1009 exhaust stack	.32	.18	.35
Room 1010 sintering furnace exhaust stack	< .01	< .01	< .01
Room 1010 exhaust stack	< .01	< .01	< .01
Dry Chemistry reactor stack	.19	.34	.16
C-1 stack	1.30	1.36	1.60
C-2 stack	.21	.53	.67
B-1 stacks			
A. J. 105	.08	.07	.08
A. J. 104	.07	.04	.03
A. J. 106	.15	.08	.10
A. J. 101	< .01	< .01	< .01
A. J. 412	< .01	.01	< .01
2nd floor exhaust	.04	.03	.03
2nd floor exhaust	.02	< .02	.02
Conversion area exhaust	.03	.04	.04
Dissolver area exhaust	.14	.01	.02
Denitrator room exhaust	.04	.04	.06
Feed preparation dry filter exhaust	5.73	1.73	.29
C-Wing Rover exhaust	----	.13	.01

- Continued -

Table I - Continued -

Area	Average U-Lost Grams/24 Hours		
	July	Aug.	Sept.
Building 9206			
Rooms 20 and 27	.03	.03	.05
Rooms 24, 28, and 29	.12	.19	.15
Rooms 26 A and C	.03	.03	.06
Dry Chemistry	.04	.04	.05
Machine Shop (Filtered)	.02	.05	.06
Machine Shop (Unfiltered)	< .01	< .01	< .01
Room 30	.56	.15	.12
Room 37	.03	.01	.02

Y-B94-302 (11/9/61)

Box 14-8-9

Table III

PERMANENT STACK SAMPLE RESULTS

Area and Location	Average U-Lost Gms/24 Hours		
	July	August	September
O-Wing exhaust stack	0.08	0.08	0.04
M-Wing exhaust stack	0.50	0.61	0.46
Sunflower filter house	180.00	249.00	803.00

Y-B94-305 (1/26/62)
Box 8-9
16

Table III

PERMANENT STACK SAMPLE RESULTS

Area and Location	Average U-Lost Gms/24 Hours		
	October	November	December
O-Wing exhaust stack	.04	< .01	.04
M-Wing exhaust stack	.87	.73	.81
Sunflower filter house	562.0	642.0	387.0

Y-894-306 (2/2/62)
Box 16-5-9

Table VI

PERMANENT STACK SAMPLE RESULTS

Area	Average U-Lost Grams/24 Hours		
	October	November	December
Building 9212			
E-Wing exhaust stack	5.4	1.38	3.8
C-Wing cast iron stack	.14	.08	.05
D-Wing cast iron stack	1.12	1.56	2.00
West Head House exhaust stack	9.87	15.97	9.8
Reduction exhaust stack	< .01	.02	.02
Room 1008 degreaser exhaust stack	.01	.02	< .01
Room 1009 exhaust stack	.29	.45	.5
Room 1010 sintering furnace exhaust stack	< .01	< .01	< .01
Room 1010 exhaust stack	< .01	< .01	< .01
Dry Chemistry reactor stack	.11	.09	1.33
C-1 stack	1.0	1.2	.73
C-2 stack	.46	.63	.26
B-1 stacks			
A. J. 105	.14	.11	.04
A. J. 104	.07	.04	.04
A. J. 106	.11	.08	.09
A. J. 101	.01	< .01	.01
A. J. 412	< .01	< .01	< .01
2nd floor exhaust	.04	.02	.02
2nd floor exhaust	.03	.02	.02
Conversion area exhaust	.07	.17	.37
Dissolver area exhaust	.02	.03	.01
Denitrator room exhaust	.07	.06	.08
Feed preparation dry filter exhaust	.12	.16	.14
C-Wing Rover exhaust	.07	.24	.03

(Continued)

Table VI - Continued -

Area	Average U-Lost Grams/24 Hours		
	October	November	December
Building 9206			
Rooms 20 and 27	.12	.03	.04
Rooms 24, 28, and 29	.43	1.00	.19
Rooms 26 A and C	.07	.02	.02
Dry Chemistry	.02	.05	.03
Machine Shop (Filtered)	.16	.49	.96
Machine Shop (Unfiltered)	< .01	< .01	< .01
Room 30	.28	.35	.18
Room 37	.04	.01	.01

Y-KB-9 (5/1/62)
Box 16-8-9

Table VI

PERMANENT STACK SAMPLE RESULTS

Area	Average U-Lost Grams/24 Hours		
	January	February	March
Building 9212			
E-Wing exhaust stack	4.6	6.8	6.8
C-Wing cast iron stack	.06	.04	.02
D-Wing cast iron stack	1.2	1.2	1.1
West Head House exhaust stack	3.8	4.8	4.2
Reduction exhaust stack	< .01	< .01	< .01
Room 1008 degreaser exhaust stack	< .01	< .01	< .01
Room 1009 exhaust stack	.21	.2	.16
Room 1010 sintering furnace exhaust stack	< .01	< .01	< .01
Room 1010 exhaust stack	.01	< .01	< .01
Dry Chemistry reactor stack	----	.06	.11
C-1 stack	----	1.1	2.4
C-2 stack	.93	.46	.37
B-1 stacks			
A.J. 105	.05	.35	.20
A.J. 104	.07	.35	.11
A.J. 106	.07	.1	.13
A.J. 101	< .01	.01	< .01
A.J. 412	.01	.02	.03
2nd floor exhaust	.02	.15	.03
2nd floor exhaust	.02	.12	.03
Conversion area exhaust	.06	.11	.07
Dissolver area exhaust	.01	.03	.01
Denitrator room exhaust	.13	.03	.03
Feed preparation dry filter exhaust	.38	.21	.22
Rover exhaust	.16	.02	.03

- Continued -

Table VI - Continued -

Area	Average U-Lost Grams/24 Hours		
	January	February	March
Building 9206			
Rooms 20, 24, and 27	.04	.07	.07
Rooms 24, 25, 26, 27, 28, and 29	.29	.15	.21
Rooms 26 A and C	.03	.01	.18
Dry Chemistry	.02	.33	.81
Machine Shop (Filtered)	.10	.08	.04
Machine Shop (Unfiltered)	< .01	< .01	< .01
Room 30	.29	.17	.15
Room 37	.03	.05	.01

Y-KB-8 (5/15/62)
Box 16 8-9

Table III

PERMANENT STACK SAMPLE RESULTS

Area and Location	Average U-Lost Gms/24 Hours		
	January	February	March
O-Wing exhaust stack	.04	.05	.05
M-Wing exhaust stack	.45	.71	.64
Sunflower filter house	440.0	482.0	318.0

Y-KB-14 (8/14/62)
Box 16-8-9

Table VI

PERMANENT STACK SAMPLE RESULTS

Area	Average U-Lost Grams/24 Hours		
	April	May	June
Building 9212			
E-Wing exhaust stack	7.30	8.80	3.15
C-Wing cast iron stack	< .01	< .01	.06
D-Wing cast iron stack	.89	.20	1.15
West Head House exhaust stack	2.90	1.10	1.60
Reduction exhaust stack	< .01	< .01	< .01
Room 1009 exhaust stack	.15	.07	< .01
Room 1010 sintering furnace exhaust stack	< .01	< .01	< .01
Room 1010 exhaust stack	.01	< .01	< .01
Dry Chemistry reactor stack	.14	.06	.21
C-1 stack	1.50	2.00	1.58
C-2 stack	.47	.09	.15
B-1 stacks			
A.J. 105	.04	.05	.04
A.J. 104	.05	< .01	.03
A.J. 106	.05	.08	.04
A.J. 101	< .01	< .01	< .01
A.J. 412	.01	.02	.03
2nd floor exhaust	.02	.02	< .01
2nd floor exhaust	.01	.01	.01
Conversion area exhaust	.08	.02	.02
Dissolver area exhaust	< .01	< .01	< .01
Denitrator room exhaust	.03	.02	.03
Feed preparation dry filter exhaust	.39	.37	.30
Rover exhaust	.02	.01	.01

(Continued)

Table VI (Continued)

Area	Average U-Lost Grams/24 Hours		
	April	May	June
Building 9206			
Rooms 20, 24, and 27	.04	.03	.02
Rooms 24, 25, 26, 27, 28, and 29	.19	.46	.45
Rooms 26 A and C	.11	.08	.05
Dry Chemistry	< .01	< .01	< .01
Machine Shop (filtered)	.04	.04	.05
Room 30	.18	.10	.07
Room 37	< .01	< .01	.01

Y-KB -15 (5/15/62)
Box 16 F-9

Table III

PERMANENT STACK SAMPLE RESULTS

Area and Location	Average U-Lost Gms/24 Hours		
	April	May	June
O-Wing exhaust stack	.03	.06	.05
M-Wing exhaust stack	.39	.66	.80
Sunflower filter house	491.00	492.00	553.00